

**AMENDMENTS TO THE CLAIMS**

Please amend the claims as follows.

1. (Previously Presented) A communication device being arranged to communicate with a server via a first communication network and to communicate with the server via a second communication network wherein the communication device comprises functionality to:  
    receive a management-request instruction from the server via the first communication network; and  
    execute the management-request instruction which causes the communication device to automatically request the server to effect a content downloading operation into the communication device via the second communication network.
2. (Previously presented) The communication device according to claim 1, characterised in that the first communication network is a GSM network and the second communication network is a GPRS based network .
3. (Previously presented) The communication device according to claim 2, characterised in that the management request instruction is sent using Short Message Services.
4. (Previously presented) The communication device according to claim 3, characterised in that the Short Messages Services are encrypted using a security protocol.
5. (Previously Presented) A server configured to communicate with a communication device via a first communication network and a second communication network, the server comprising functionality to send a management-request instruction to the communication device via the first communication network wherein the management request instruction comprises information to cause the communication device to automatically request the server to effect a content downloading operation into the communication device via the second communication network .

6. (Previously presented) The server according to claim 5, characterised in that the first communication network is a GSM network and the second communication network is a GPRS based network .
7. (Currently Amended) A computer readable medium having encoded thereon a computer program product for a communication device being arranged to communicate with a server via a first communication network and with the server via a second communication network, the computer program product including an instruction set which when the instruction set is loaded in the communication device, makes the communication device perform the following steps:
  - an instruction receiving step in which the communication device receives from the server a management-request instruction via the first communication network and;
  - an executing step in which the communication device automatically executes the management-request instruction which causes the communication device to request the server to effect a content downloading operation into the communication device via the second communication network.
8. (Previously Presented) An integrated circuit card to be inserted in a communication device, the communication device being arranged to communicate with a server via a first communication network and being fully arranged to communicate with the server via a second communication network, the integrated circuit card being arranged to perform the following steps:
  - an instruction receiving step in which the integrated circuit card receives from the server a management-request instruction via the first communication network and;
  - an executing step in which the integrated circuit card automatically executes the management-request instruction which causes the communication device to request the server to effect a content downloading operation into the communication device via the second communication network.
9. (New) The communication device according to claim 1, wherein the first and the second communication networks are wireless communication networks.

10. (New) The server according to claim 5, wherein the first and the second communication networks are wireless communication networks.
11. (New) The computer readable medium according to claim 7, wherein the first and the second communication networks are wireless networks.
12. (New) The integrated circuit card according to claim 8, wherein the first and the second communication networks are wireless communication networks.